



The ViewSonic networkable LightStream™ PJD6252L XGA projector features 3,300 ANSI Lumens, XGA 1024 x 768 native resolution, an intuitive, user-friendly design and a sleek white chassis. Exclusive SuperColor™ technology offers a RGBCYW color wheel - 120% brilliant color, for true-to-life image projection, while SonicExpert®, ViewSonic's proprietary sound enhancement technology, powers a 10W cube speaker to deliver incredibly clear and audible sound. PortAll® - a neatly designed enclosed HDMI/MHL connection compartment, supports wireless HDMI dongles or MHL connectors, while a cable management hood eliminates unsightly cable clutter. Boasting its smart design, the PJD6252L also provides a quick set-up. The PJD6252L is the ideal projector for both high definition presentations and vibrant multimedia content.

SuperColor™ Technology: Best in Class Color Accuracy

ViewSonic's proprietary SuperColor™ Technology offers a wider color range than conventional DLPR projectors, ensuring that users enjoy realistic and accurate colors. With an exclusive color wheel design and dynamic lamp control capabilities, SuperColor™ Technology projects images with reliable and true-to-life color performance, in both bright and dark environments, without sacrificing image quality.



PortAll™: Secure MHL/HDMI Port

ViewSonic's exclusive PortAll™ feature—a hidden compartment with an integrated and secure MHL/HDMI port that lets you discretely stream multimedia content from a wireless dongle, or lets you connect to other devices via an HDMI cable. * ViewSync® WPG-300 dongle is optional



Side Projection with Horizontal and Vertical Keystone Correction with 4 corner adjustment

Horizontal and vertical keystone correction with 4 corner adjustment features eliminate crooked and distorted images for a perfectly proportioned picture every time. No matter the size of the room, the projector does not have to be placed directly in front of the projection. When the projector is placed non-perpendicularly to the screen, this feature can still help produce the ideal image quality that supports short-distance projection, provides flexible installation, and saves projection space.



Network Manager Easy Central Management System

All LightStream PJD6 projectors come equipped with Crestron RoomView Express, an easy-to-use network management system that lets administrators remotely monitor and control up to 256 LightStream projectors from a single PC.

Quick Start

Auto Power On- Instant activation upon signal connection

With auto power on enabled, once a VGA or HDMI cable is connected and signal detected, LightStream projectors will power on automatically.

Smart Restart - Instant reactivation during presentation

With Smart Restart, the projector automatically enters a 3-minute standby mode when it is idle and turns down the projection to a power-saving 30% brightness. During standby mode, you can quickly and conveniently reactivate the projector for continued use without waiting for a complete power cycle.



SonicExpert™ Technology

Clear, comfortable, and louder sound over same-class projectors



The ViewSonic's proprietary SonicExpert™ technology incorporates a 10W ported speaker chamber and a more powerful amplifier to deliver a full 20Hz – 20Khz sound range. The compact speaker takes pride in quality sound with best-fit Sound Response Curve, and high efficiency of transferring electric power to sound power.



SonicMode

Optimized audio performance for Speech, Entertainment, or Standard scenario

The “Standard” preset offers the best sound levels for general use. The “Speech” preset enhances the sound of spoken words, making it ideal for projecting speeches and lectures, or for sales calls and video conferencing. The “Entertainment” preset is fine-tuned with more bass and richer mid-high frequencies ideal for music and movies.



Dual 3D Blu-ray Ready HDMI Inputs

Flexible connectivity to high-definition devices

Designed with two HDMI ports, this projector is perfect for connecting to any HDMI-enabled device, and can display 3D images directly from 3D Blu-ray players. 3D images can be viewed with optional ViewSonic PGD-350 Shutter Glasses, or any other compatible 3D glasses.

Balanced Color and Brightness

A choice of 5 unique view settings provide the best possible viewing experience in any environment regardless of ambient light. **Brightest Mode:** for environments where extra-high brightness is required **Dynamic Mode:** for presentations under daylight environment and text content **Standard Mode:** for matching PC or NB color **ViewMatch Mode:** for general viewing **Movie Mode:** for watching movies with better saturation in a dark environment



Programmable Remote Control

To make things easier, this remote control contains wireless presenter functions (mouse control, page up-n-down, etc.) and hotkeys for critical, major functions.

“My Button” Setup your favorite hotkey: Finding a function on a remote control or through the on-screen menu can be time-consuming. The “My Button” button on the remote control is a programmable shortcut button that can be user-programmed to launch a commonly used or desired function.

App - vRemote App controller with snapshot keystone and lamp life monitor: Never worry about missing a remote control again. Users can download vRemote, the virtual remote control, onto any IR or WiFi enabled smartphone. vRemote can instantly help users automatically correct keystone with a simple snapshot of the projected image. In addition, administrators can remotely view the projectors’ lamp working hours and adjust keystone.



Smart Design, Easy Operation

Cable Management Hood

The seamless design gives the projector a clean look without wires and I/O ports exposed in the rear.

Top Lamp Door

An easy-access top lamp door enables simple lamp maintenance and replacement.

Tactile Keypads


The tactile keypad is raised with concave buttons that assist in making projector set up easier in

App - ProjectorDistance

Quick Projector Position Preview

No matter small meeting room, middle classroom, or big hall, ProjectorDistance tells you how far the projector should be placed according to the room ceiling height, projector’s screen size, aspect ratio, etc. Just input several figures, the result will be displayed in the simulation scenarios with measurement. You can use finger to adjust the distance instantly.

dark environments.



Technical Specifications

DISPLAY	Type	TI DMD 0.55
	Resolution	1024x768 (XGA)
	F Stop / Focal Length mm	2.56~2.8 / 22~24.1
	Zoom Factor	1.1x
	Focus / Zoom	Manual / Manual
	Keystone	+/- 40° (Vertical)
	Display Size	30" ~ 300"
	Throw Distance	1.19 m ~ 13.11 m
	Throw Ratio	1.95 ~ 2.15
	Lamp Power	190 W
	Lamp Life (Normal / SuperEco Mode)	4000 / 10000 (hours)
	Brightness (Max.)	3300 ANSI Lumens

	Contrast Ratio (Max.)	22000:1
	Color Depth	1.07 Billion Colors (30 bits per color)
	Color Wheel	6-Seg RGBCYW / 7200rpm
	Optical Offset	120 % +/-5%
AUDIO	Speaker	10W Cube x1
INPUT SIGNAL	Video	480i and 576i, 480p and 576p, 720p, 1080i, 1080p
	Frequency (H/V)	15 ~ 100 KHz / 24 ~ 120 Hz
COMPATABILITY	PC	Support up to 1920x1080@60Hz
	Mac	Support up to 1920x1080@60Hz
CONNECTOR	VGA Input	x2
	VGA Output	x1
	Digital Input	HDMI (1.4a) x1 / HDMI (MHL2.0) x1
	Composite Input	RCA x1
	S-Video Input	x1
	Component	x2 (Share with VGA input)
	Audio Input	3.5mm mini jack x2
	Audio Output	3.5mm mini jack x1
	Microphone in	Share with Audio in 2 connector
	Control	RS-232
	USB	Mini type B x1 (Maintenance and mouse control)
	Lan	RJ45
POWER	Voltage	100~240Vac 50/60Hz (Auto Switching)
	Power Consumption	295 W (Max.)
	Standby	<0.5W
OPERATING CONDITION	Temperature	0°C ~ 40°C (32°F ~ 104°F)
	Humidity	10% ~ 90% (non-condensing)
NOISE LEVEL	Normal / Eco Mode	32dB / 27dB
DIMENSIONS	Physical (W×H×D)	316 x 228 x 103.7 mm /12.44" x 8.98 " x 4.08"
WEIGHT	Net	2.5 kg / 5.51 lb
REGULATIONS	Mexico Energy test/Registration, TUV-S, Mark(Argentina), India BIS, FCC,CE, EMC,CB,CCC, ROHS, REACH, SVHC, WEEE, ErP, Mexico NOM, cTUVus, RCM, CECP	
PACKAGE CONTENTS	Power Cord (1.8m) / VGA Cable (1.8m) / Remote Control with Batteries (With Laser pointer) / Quick Start Guide (one sheet version) / ViewSonic CD Wizard (With User Manual) / Cable Cover x1	