



Real-time interaction in 1080p

The ViewSync 3, wireless presentation gateway with 2 bundled AutoProject™ Keys (USB dongles), featuring AutoProject™ - USB-plug-in for instant projection, can powerfully transmit 1080p multimedia content from over 50 notebooks simultaneously. Fully-interactive, the ViewSync 3 offers Moderator Mode that empowers the host to preview all presenters' presenting slides to deliver well organized and efficient meetings/classes. Equipped with an Annotator function, the host and the presenter can interact and write annotations in real-time, on the display screen. With a reliable and secure connection, the ViewSync 3 supports wired and wireless auto-detect concurrent mode - Wi-Fi dual band switch (2.4GHz/5GHz), Screen Mirroring, and Media streaming (DLNA). With dual band switch, users can have a stable wireless projection and smooth video playback quality. The ViewSync 3 is equipped with flexible presentation tools like Extended Screen, USB back channel functions (mouse or keyboard), built-in USB reader for PC-less projection, a smart remote control, and a ViewMedia App. The ViewSync 3 works as a Wireless Group Presentation Solution to provide an easy and simple projection experience for individual or group presentations.

Eliminate the drawbacks of traditional wired & wireless connection

Innovative AutoProject™ Key

USB plug for instant wireless presentations

The ViewSonic ViewSync 3 wireless presentation gateway offers a convenient AutoProject™ function for USB wireless presentations. Whether in meeting rooms or classrooms, presenters can easily plug-n-project from their own laptops via a wireless auto-projection USB dongle, instead of using a VGA cable or traditional wireless presentation setups, decreasing setup time and cutting back on monotonous procedures.

- Frequent User :
One-time driver installation (In 30 seconds), enables auto projection via USB dongle use
- One-time User :
Quick-install each time, green software installation without the saving the driver in the NB



Make group presentation management quick and easy


Moderator Mode

Wirelessly preview and share content from over 50 laptops simultaneously

With bundled presentation software, it helps the presentation host to enhance interaction capabilities in large-scale meeting/class environments.

Moderator mode allows 50+ simultaneous connections from attendees' PCs or NBs. The host can preview all connected screens before broadcasting, and can choose any linked screen to present. In seconds, the chosen presenter's ideas can be shared with all.

- AP mode (Access Point) allows simultaneous connection to up to 8-laptops instantly
- Client mode (ViewSync 3 links to Wireless Access Point Router) allows simultaneous connection to over 50- laptops instantly



Leave wireless switch setup problems behind

Concurrent Mode

Auto-switch connection for laptop or mobile devices


The ViewSync 3 supports laptop wireless 2.4G / 5GHz projection, Screen Mirroring and DLNA Media Streaming from your tablet or smartphone. It can support any of the above connection protocols and devices without a manual switch. Users can quickly connect to the ViewSync 3.



No more long cable connection problems

Enhanced wireless image brightness and clarity
up to 50% brighter picture versus cabled connections

Wireless projections can deliver clearer images with less signal noise and data loss when compared with using a long VGA cable. Thorough testing also found the ViewSync 3 outputs an up to 50% brighter image, compared to projection through a 20-meter VGA cable.



Solve the problem of wireless transmission lag

Dual band wireless 2.4G / 5GHz switch

Stable wireless projection and smooth video playback quality

2.4GHz is a very popular bandwidth for most wireless devices, which can easily cause transmission lag. The advantage of a 5GHz network is that it can have twice the link speed, which increases the quality for multi-media broadcasting. WiFi Dual Band support utilizes flexible usage, by providing either 2.4G or 5GHz network.



Enhance user interactions

Annotator

Interactive real-time annotations

Start your presentation without the PC!

Built-in USB reader


PC-less projection for multimedia content

Jump start a presentation directly from a USB flash drive without waiting for your PC to boot up. A practical, user-centric design enables your projector to broadcast video, music and photos instantly.



Enhance the convenience of content interaction & control

The bundled software allows real-time annotations on content displayed from Windows or Mac laptops. These changes can be saved and updated instantly, allowing the presenter and laptop-connected audience simple, yet effective interaction.



Allow 2 persons to mark the presentation

Smart remote control

Hotkeys and wireless presenter functions
Finding a function through the on-screen menu can be time-consuming. To make things easier, this remote control contains hotkeys for critical, major functions. The major functions include Moderator, USB reader, and wireless presenter functions (mouse control, page up-n-down, screen freeze, etc.).



Enhance the convenience of mobile projection

USB back control


Remote control for interaction or assistance
The ViewSync 3 provides a USB back control function, allowing users to wirelessly connect and control a mouse or keyboard remotely. When a presenter holds a meeting/class, an assistant can help control the mouse or keyboard remotely at the same time.



Allow 2 persons to control the presentation

Extended screen with auto resolution adjustment

One-click finish
Keeps private and public content on display with just one click. A dual screen provides the presenter flexibility to control a meeting/class. Discussion on the projected content while editing other content privately, the ViewSync 3 auto-adjusts the display resolution depending on the source, without setup steps.



Enhance the convenience of mobile projection

App - ViewMedia (Android, iOS)

Real-time multi-media sharing
With the ViewMedia App for DLNA media streaming, even mobile devices can broadcast images, music, and video to the projector or TV wirelessly. Easy network connectivity saves setup and processing time by enabling content sharing from multiple devices, making presentations and setups smoother and more efficient.



NFC tag for auto screen mirroring (Android)

Convenient and time-saving projection setup
Driven by NFC tag technology, first download the ViewMirroring App to activate the screen mirroring function in mobile devices. Presenters can save time by enabling auto screen mirroring for every future presentation, rather than wasting time setting up.



Transmission of 1080p multimedia content

The finest picture quality

With a built-in HDMI port, the ViewSync 3 receives and transmits Full HD 1920 x 1080 images for the sharpest and clearest image quality. It delivers exceptional details and astonishing clarity for the best viewing experience.



Technical Specifications

WIRED NETWORK	Interface	RJ-45 Connector (10/100Mbps)
	Frequency Band	2.4GHz(2.312~2.472GHz, 2.484GHz)/5G(5.18~5.825GHz) Dual Band
WIRELESS NETWORK	Interface	Built-in 802.11 a/b/g/n 2T2R
	Data transfer speeds	up to 150Mbps

WIRELESS SECURITY	Security/ Encryption	WPA/WPA2, WPA-PSK, WPA2-PSK
VIDEO OUTPUT	Support Output Resolution	HDMI: 1080P, 720P, 480P VGA:800x600, 1024x768, 1280x800, 1280x1024, 1366x768
CONNECTOR	HDMI	1
	RGB	1
	Network	RJ-45(10/100M), Wireless(802.11a/b/g/n)2.4G/5GHz
	USB Type A	1
POWER	AC Adapter	100~240VAC @ 50/60Hz, 5V/1A output
	Comsumption	5W (Maximum), 0.5W (Standby)
OPERATING CONDITIONS	Temperature (° F / ° C)	23°F to 113°F (-5°C to 45°C)
DIMENSIONS (W x H x D)	Physical	191.5 mm (W) x 32.25 mm (H) x 102.6 mm (D)
WEIGHT	Net	0.43 lb / 240 g
REGULATIONS	Safety/EMC	FCC-B, CE, ErP, RoHS
	Wi-Fi	FCC-ID, CE R&TTE, NCC, EAC
What's in the box?		1. Wireless Presentation Gateway ViewSync 3 2. Universal Power Adapter x 1 3. Antenna x 2 4. Quick Start Guide 5. AutoProject Key (USB drive) x2 6. Remote control with battery *Actual content may differ from market to market