

23" Full HD SuperClear® AH-IPS LED Monitor



VA2359-smh



FLICKER
FREE



BLUE LIGHT
FILTER



The ViewSonic® VA2359-smh is a 23" Full HD LED monitor with SuperClear® AH-IPS Panel technology, offering clearly sharp color representation and outstanding screen performance at wide viewing angles. It is modernized with a minimalistic, borderless design which provides exceptional viewing experience for home entertainment or office work. It also carries eye-care technology, including Flicker-Free and Blue Light Filter, helping to eliminate eye strain from viewing for extended periods of time. Furthermore, Viewsonic's exclusive ViewMode™ provides intuitive presets to deliver optimized screen performance in different applications, with an energy-saving Eco-mode that enables users to do documental processing or internet surfing while saving. Built in with HDMI and VGA inputs, promising more flexible and reliable connectivity. With a 3-year warranty, Energy Star and EPEAT Silver certification, the VA2359-smh definitely is a great long-term investment for home and office users.

**SuperClear®: Stunning Color Performance
& Wide-angle Viewing**

**Borderless Design for an incredible
viewing experience**

Enjoy accurate and vivid colors with consistent levels of brightness no matter the vantage point. With SuperClear® AH-IPS panel technology, this monitor delivers the same image quality whether you are looking at the screen from above, below, the front, or the side.



Break free from previous bulky bezel designs, and prepare for an amazing, sleek, borderless experience. A thin bezel makes viewing more effortless, with convenient multi-monitor setup capabilities; extending content side by side creates a simple, seamless configuration.




HDMI and VGA inputs for flexible connectivity

HDMI, and VGA inputs, enable users to connect to game consoles, Blu-ray players, digital cameras, laptops, satellite boxes, and other high-definition devices.



Full HD 1080p Resolution

This monitor features Full HD 1920x1080 resolution for unbelievable pixel-by-pixel image performance. You'll experience the most amazing clarity and detail whether while working, gaming, or enjoying the latest in multimedia entertainment.



ViewMode: Superior Color Rendering & Intuitive Settings

ViewSonic's unique ViewMode feature offers "Game," "Movie," "Web," "Text," and "Mono" presets. These presets enhance gamma curve, color temperature, contrast, and brightness to deliver an optimized viewing experience for different

Enhanced Viewing Comfort

Flicker-Free technology and a Blue Light Filter help to eliminate eye strain from extended viewing periods.

screen applications.



Dual Integrated Stereo Speakers

Designed with dual integrated speakers, this monitor combines incredible screen performance with stereo sound for an immersive multimedia experience.




VESA-Compatible Mount


Mount the monitor as you see fit using its convenient 100 x 100mm VESA-compatible mount design.



Mercury-Free LED Backlighting and Eco-mode Conserves More Energy

ViewSonic's proprietary Eco-mode energy-saving feature is built into all ViewSonic LED monitors. Eco-mode adjusts brightness and improves visibility, while reducing eye fatigue and prolonging the monitor's lamp life. With Eco-mode, the lifespan of the LED backlighting is also greatly increased.





Technical Specifications

LCD PANEL	Size	23" (16:9)
	Panel Technology	AH-IPS
	Display Area	23" (509.184x268.416mm)
	Optimum Resolution	1920x1080 (Full HD)
	Brightness	250 cd/m ² (Typ)
	Contrast Ratio	1000:1 (Typ)
	Dynamic Contrast Ratio	50,000,000:1
	Viewing Angles	178° (H) / 178° (V)
	Response Time	5ms (GTGO')
	Panel Surface	Anti-Glare type, Hard-coating (3H)
	Light Source	30,000 Hrs (Min)
	Color Support	16.7 M
INPUT	Analog	VGA
	Digital	HDMI
	Sync	Separate Sync, Composite Sync, Sync on Green
	Frequency	24 ~85.5 kHz / 48 ~76 Hz
COMPATIBILITY	PC	1920x1080
	Mac	1920x1080
CONNECTOR	Analog	VGA x 1
	Digital	HDMI x 1
	Audio In	3.5mm jack x 1
	Audio Out	3.5mm jack x 1
	Power	Internal Power Board
AUDIO	Speaker	2W x2

POWER	Voltage	AC 100-240V (Universal); 50/60Hz
	Consumption	25W ; Optimize: 20 W ; Conserve: 16 W
	Save mode	≤0.5W
ERGONOMICS	Tilt	22° ~ -5°
OPERATING CONDITIONS	Temperature	32°F to 104°F (0°C to 40°C)
	Humidity	20% to 90% (no condensation)
DIMENSIONS	Physical (w/ stand)	532.8 x 389.9 x 200 mm
WEIGHT	Net (w/ stand)	3.94Kg
REGULATIONS		CE EMC, CB, RoHS Green BOM & RoHS DoC, REACH SVHC List & DoC, ErP, WEEE, US NRTL w/ CA, FCC-B w/ ICES003, Energy Star, EPEAT Silver, MexicoCoC, Mexico Energy, CCC, CEL Level 1
WALL MOUNT	VESA	100mm x 100mm
PACKAGE CONTENTS		LCD Display / Power Cable / VGA Cable / Audio Cable / Quick Start Guide