

VA1948m-LED

19 Inch 16:10 Ultra-thin Wide Screen LED



ViewSonic's new VA1948m-LED features an LED backlight 19" thin bezel widescreen monitor with integrated speakers. Environmentally friendly mercury-free VA1948m-LED offers 1440x900 resolution, 10,000,000:1 MEGA dynamic contrast ratio, DVI and VGA inputs, 5ms response time, VESA® mountable glossy finish design. The aspect ratio adjustment feature automatically senses the input signal and will not stretch a 4:3 signal but instead will position the image in the middle of the screen with side bars. A 3-year limited warranty, ENERGY STAR® 5.0 certification, one of the industry's best pixel performance policy, and energy saving Eco-mode make the VA1948m-LED a great long-term investment.

Up to 50% energy saving with LED backlight

Without compromising your viewing quality and has eco-friendly mercury free LED backlight.

OptiSync® digital/analog inputs expand your connectivity

Multi-mode input technology supports both digital (DVI) and analog (VGA) signals for ultimate compatibility and configuration flexibility.

Multimedia enhanced

Stereo speakers provide clear and rich sound.

MEGA dynamic contrast ratio at 10,000,000:1

For true-to-life picture depth and clarity in any room.

Widescreen aspect ratio with 1440X900 resolution

The widescreen aspect ratio allows you to view content in its native format with no stretching or distortion.

Wall mountable design

100mm x 100mm VESA compliant

Technical Specifications

Model No.: VS13780

LCD	Type	19" wide Color a-Si TFT Active Matrix 1440x900 LCD
	Display Area	19 inch
	Optimum Resolution	1440x900
	Contrast Ratio	1000 :1 (typical), 10,000,000:1 (DCR)
	Brightness	250 cd/m ² (typ)
	Viewing Angles	170°(H), 160°(V)
	Response Time	5ms
	Panel Surface	Anti-Glare, Hard coating (3H)
Video Input	Analog	RGB Analog (75 ohms, 0.7 / 1.0 Vp-p)
	Frequency	Fh: 24-82KHz; Fv: 50-75Hz
	Sync	Separate Sync
Compatibility	PC	VGA up to 1440×900 non-interlaced
	Mac	Power Mac, up to 1440×900
Connector	Analog	1×15 pin mini D-sub
	Digital	DVI-D
	Audio	3.5mm Mini Phone Jack Audio In
	Power	Built-in power Adapter, 3-Pin plug
Audio	Speakers	1W x2
Power	Voltage	AC 100-240V (Universal); 50/60Hz(Switch)
	Consumption	18W (Typ.), 21W (Max)
Operating Conditions	Temperature	0 - 40 (° C) / 32 - 104 (° F)
	Humidity	10%-90%(non-condensing)
Dimensions	Physical	456.4mm (width) x 378mm (height) x 220mm (depth)

Net	3.2 kg
-----	--------

Regulations

CE, CB, WEEE, RoHS, REACH SVHC List, TCO5.1, Energy Star 5.0, Windows XP/ Vista premium, Windows 7

Wall Mount

100mm x 100mm

For more product information, visit us at **www.viewsonic.com**

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.

