

Expanding Your Viewing Experience Full HD Frameless Display for Ultimate Entertainment



VX2770Smh-LED



Designed with frameless bezel and touch keys, the ViewSonic VX2770Smh-LED sets a new milestone for display design delivering cutting-edge, trendy ambience into any living space or office. Through the remarkable image quality of Full HD 1080p, 30,000,000:1 dynamic contrast ratio, and up to 4ms response time, combined with SuperClear® technology, the VX2770Smh-LED brings vivid and sharp images to life with no limited viewing angles. An HDMI port provides high resolution image/video connection with devices for gaming, graphics, and HD entertainment. A pair of speakers delivers true-tonature high-end stereo, complementing the refined display perfectly for a wide variety of applications.

Frameless and slim with touch keys

The frameless bezel on VX2770Smh-LED removes the boundary between reality and virtuality, featuring an elegant and glossy finish to complement any home or office. Sleek and seamless touch function key provides a simple and intuitive touch experience, making screen adjustment easy and fast. The VX2770Smh-LED is a stylish addition to a wide range of environments.

SuperClear® technology

Industry-leading SuperClear® technology delivers 178° viewing angle from the horizontal and vertical with an accurate, vibrant, and dynamic image. Brightness levels are consistent across all viewing angles with no distortion or decay.

4ms fast response time at optimum

VX2770Smh-LED is equipped with AH-IPS panel, delivering not only wide-viewing angle but also fast response time. In optimal condition, VX2770Smh-LED can reach up to 4ms response time, bringing the smooth and no-blur image quality when watching action movies or playing games featuring fast motion.

On-Live surrounding stereo

Dual 1.5-Watt speakers, surround stereo delivers audiophile quality sound for anyone seeking supreme audio performance and gaming experience. SRS Premium Sound® produces deep rich bass and crisp highs with no requirement to connect external speakers , maximizing desk space to let the all-immersive audio journey begin.

30,000,000:1 dynamic contrast ratio

Dynamic Contrast Ratio achieves a superior 30,000,000:1 level, delivering maximum definition to grayscale, darker blacks, and brighter whites, while rendering everything in between with the finest detail, for rich and natural imagery.

HDMI Inputs

HDMI Interface on the VX2770Smh-LED allows flawless streaming with a variety of media devices, including computers, set-top boxes, Blu-ray disc players, HD digital cameras, gaming consoles, and many others with HDMI. The convenience of HDMI enables image/video streaming between life, work, and entertainment for the ultimate true high definition experience.

Technical Specifications

LCD	Type	27" Wide
	Display Area	27 inch
	Optimum Resolution	1920x1080
	Contrast Ratio	1,000:1 (typical), 30,000,000:1 (DCR)
	Brightness	250 cd/m ² (typ)
	Viewing Angles	178° / 178°
	Response Time	4ms (GTG fastest), 7ms (GTG typical)
	Panel Surface	Anti-glare Type, 3H Hardness
	Light Source	30,000 Hrs (Min.)
Video Input	Analog	RGB Analog (75Ω, 0.7 / 1.0 Vp-p)
	Digital	DVI / HDMI (TMDS, 100Ω)
	Frequency	Fh: 24-83KHz; Fv: 50-76Hz
	Sync	Separate Sync / Composite Sync / SOG
Compatibility	PC	VGA up to 1920x1080 non-interlaced
	Mac	Power MAC (up to 1920x1080)
Connector	Analog	D-sub
	Audio	Audio Out 3.5mm Jack (Blue) Audio In 3.5mm Jack (Green)
	Power	External Power Adapter
Audio	Speakers	1.5W *2
Power	Voltage	AC 100 - 240V(Universal); 50 / 60 Hz
	Consumption	(ECO Mode) Standard: 30W; Optimize: 26W; Conserve: 22W
Operating Conditions	Temperature	0 - 40 (° C) 32-104(° F)
	Humidity	20%-90% (non-condensing)

Dimensions	Physical	622.29mm (width) x 459.3mm (height) x 192.5mm (depth)
Weight	Net	5.0 kg
Regulations		CE,CB, BSMI, SASO, C-tick, UL/cUL, FCC-B (including ICES003), TUV-S, UL CoC,MexicoEnergy, GOSTR / Hygienic, UkrSEPRO, Erp, CCC, ChinaEnergy, Energy Star, EPEAT Silver, WEEE, RoHS, SVHC list
Package Contents		Power Cable (with AC Adapter) *1, D-Sub Video Cable *1, DVI *1, Audio Cable*1, Quick Start Guide *1, ViewSonic Wizard CD-ROM *1