

22" Ergonomic LED Monitor, Wide Screen with DisplayPort Input



VG2239m-LED



The VG2239m-LED widescreen monitor is one of two new members of ViewSonic's new VG39 family. Its 56cm/22" (55cm/21.5" viewable) display with a native Full HD resolution. What makes it even more appealing is the LED backlight for up to 50% energy savings. This monitor is also fully ergonomic with 90° pivot, height adjust, swivel and tilt. The slim bezel design coupled with hidden stereo speakers make the VG2239m-LED a space saver. You can put it on your desk or mount on your wall or on any VESA compliant monitor stand.

Display Port Connectivity

Achieve easy data transfer of high definition video and audio with Display Port. For great connectivity at home, office or even gaming get the best refresh rate, highest resolution and richer colours.

Full HD 1080p for superlative pixel performance

The VG2239m-LED features Full HD 1080p 1920 x 1080 resolution for an unbelievable pixel-by-pixel image performance. You'll experience the most amazing clarity and detail whether it is for working, gaming or enjoying the latest in multimedia entertainment. A 16:9 widescreen ratio minimizes eye fatigue even after hours of viewing and is perfectly compatible with multi-window viewing without toggling.



22" Ergonomic LED Monitor, Wide Screen with DisplayPort Input



VG2239m-LED



Efficiency & Comfort

The VG2239m-LED is one of the great examples of an ergonomically designed tool. Based on your height, chair and desk conditions, you can adjust it up and down for 13.46cm / 5.3", swivel it 360° or tilt it 20° degrees to increase your comfort.



20,000,000:1 MEGA Dynamic Contrast Ratio

Dynamic contrast ratio detects the brightness of an image and automatically adjusts the backlight to maximize the monitor's colour range and contrast. Dynamic contrast ratio technology enables the

sRGB color correction technology delivers the most accurate color performance available

A superior dynamViewSonic LCD monitors come standard with embedded sRGB color correction technology which reproduces a 100 % sRGB rich



22" Ergonomic LED Monitor, Wide Screen with DisplayPort Input



VG2239m-LED

accurate reproduction of images, producing vibrant and rich visual effects.



color and matches original input sources without decreasing or compromising color quality. sRGB technology ensures all displayed images/videos are identical to their original sources and are displayed in rich color for diversified multimedia content.



Planet-Friendly Mercury-Free LED Backlighting

The LED backlight further conserves up to 50% more energy when compared to conventional displays and allows a slimmer panel profile.



VESA mountable

The VG2239m-LED features a 100mm x 100mm VESA mountable design that allows you to mount it on a monitor stand or on a wall, depending on your specific needs. You can detach the base easily by unscrewing four screws and then mounting the display on its new stand or wall mount.



Technical Specifications



22" Ergonomic LED Monitor, Wide Screen with DisplayPort Input



VG2239m-LED

LCD	Type	56cm / 22" (55cm / 21.5" viewable) wide
	Display Area	21.5 inch
	Optimum Resolution	1920x1080
	Contrast Ratio	1000 :1 (typical), 20,000,000:1 (DCR)
	Brightness	250 cd/m ² (typ)
	Viewing Angles	170° horizontal, 160° vertical
	Response Time	5ms
	Panel Surface	Anti-glare, hard-coating (3H)
	Light Source	30,000 hours (min.)
Video Input	Analog	RGB analogue (75 Ω, 0.7 / 1.0 Vp-p)
	Digital	DVI-D (TMDS, 100Ω), Display Port
	Frequency	Fh: 24-82KHz; Fv: 50-75Hz
	Sync	H/V separated (TTL)
Compatibility	PC	VGA up to 1920 x 1080 @ 60Hz (preferred)
	Mac	Power Mac (up to 1920 x 1080)
Connector	Analog	15-pin mini D-sub (VGA)
	Digital	DVI-D (with HDCP), DisplayPort
	USB	x 2 (V2.0, 1-up / 2-down)
	Audio	Out: 3.5mm Headphones; In:3.5mm
	Power	Internal Power Board, 3-pin plug (CEE22)
Audio	Speakers	2 watt (x2)
Power	Voltage	AC 100–240V (universal), +/-10% Wide Range
	Consumption	24W (Typ.); Optimize: 19W (Typ.); Off/Standby <= 0.5W
Controls	Basic	Power, 1, down, up, 2
	OSD	Auto Image Adjust, Contrast/Brightness, Input Select, DisplayPort, Audio Adjust, Audio Input, Color Adjust, Information, Manual Image Adjust, Setup Menu, Memory Recall
Operating Conditions	Temperature	32° F to 104° F (0° C to 40° C)



22" Ergonomic LED Monitor, Wide Screen with DisplayPort Input



VG2239m-LED

	Humidity	10% to 90% (non-condensing)
Dimensions	Physical	512.4mm (width) x 418mm (height) x 239.6mm (depth)
Weight	Net	4.7 kg
Regulations		UL/cUL, FCC-B, ENERGY STAR®, EPEAT(Gold), TCO 5.2, NOM, WEEE, RoHS, CE, CB, GOST-R, ERP, Ukr SEPRO, CCC, REACH SVHC List
Wall Mount		VESA® 100x100 mm

